

SOLBERG



NOT ALL FIRES ARE THE SAME
SOLBERG HAS YOU COVERED



WE KNOW WHAT IT TAKES TO CUT THE FIRE LINE

Don't just wet

EXTINGUISH WITH FOAM

Firefighting foam is a superior solution, acting as a force multiplier. When used appropriately for the correct application, foam:

- Improves water's wetting ability — ten-fold
- Extinguishes fire faster
- Greatly reduces overhaul and mop-up time
- Increases firefighters' protection
- Maximizes operational efficiency
- Conserves valuable water resources
- Is highly effective for exposure protection
- Mitigates and suppresses vapors



When the fire alarm sounds, adrenaline spikes, and you move without question. You are a first responder and people are depending on you to extinguish the fire, to protect property, the environment — and, most important, to save lives. Having the right tools to get the job done safely and effectively is crucial.

THE QUESTION IS: ARE YOU TRULY PREPARED FOR TODAY'S FIREFIGHTING CHALLENGES?

Communities are growing; industries and businesses are using new technologies; more hazardous materials are transported through cities and towns; and budgets for resources are tight. These are the difficult challenges you face as a firefighter. It's imperative you have the right tools to optimize the limited resources you have available in those critical moments. You need products that perform and are also firefighter friendly.

At Perimeter Solutions, we get it. We've put in more than 40 years developing foam concentrates designed to work effectively on different classes of fires. SOLBERG foam concentrates are exceptional firefighting tools for flame knock-down, fire control, extinguishment or vapor suppression — all of which are paramount to firefighter safety. If you aren't safe, neither are the people depending on you.



SOLBERG - A FOAM FOR EVERY APPLICATION



**FIREFIGHTER SAFE.
ENVIRONMENT FRIENDLY.**

Class A & B fires

The first true, effective fluorosurfactant and fluoropolymer-free foam, SOLBERG RE-HEALING® Foam is safe for firefighters and environmentally sustainable.

Available in a variety of concentrates, it has superior vapor suppression, rapid resealing characteristics, and long drain time for better burn-back resistance.

Designed for use on Class B fuel fires and to replace traditional AFFF, FFFP foam concentrates and older protein and fluoroprotein foams, RE-HEALING® Foam can be used to prevent re-ignition of a liquid spill and control hazardous vapors. On Class A fuels, it will improve extinguishment in deep-seated fires.

Available in 1%, 3%, 6%, 3x3% ATC®, and 3x6% ATC® concentrates.



RE-HEALING TF, Training Foam also is available. Designed for firefighter training ONLY, it is intended for extinguishing only controlled Class B fires. This foam is not intended for use on actual fires.



**TAKES THE WILD OUT
OF WILDLAND FIRES.**

Class A fires

SOLBERG FIRE-BRAKE™ foam concentrate substantially increases water's overall wetting capability. This maximizes penetration, resulting in greater fire control when attacking combustible Class A fuels.

Designed for wildland, structural and other Class A fires, including wood, paper, coal, and rubber, FIRE-BRAKE™ foam concentrate is U.S. Forest Service Qualified Products Listed (QPL).

Proportioned at 0.5% to 1.0%, application rates may vary based on hazard or terrain.




**STOPS FIRE
IN ITS TRACKS.**

Class B fires

The first U.S. EPA Stewardship Program — 2015 Compliant C₆ foam concentrates, SOLBERG ARCTIC™ AFFF and AR-AFFF ATC® foam concentrates are synthetic foams used to effectively extinguish Class B hydrocarbon and polar solvent fuel fires. ARCTIC™ AFFF and AR-AFFF foam concentrates can be used for rapid extinguishment or vapor suppression.

Available in 1%, 3%, 6% AFFF, 1x3% ATC®, 3x3% ATC®, and 3x6% ATC® concentrates.



	Class A	Class B (AFFF)	Class B (AR-AFFF)	Fluorine-Free (hydrocarbon fuels)	Fluorine-Free (polar solvent fuels)	Emulsifiers
U.S. Forest Service QPL Approved	✓					
NFPA 18 Annex Tested						✓
UL 162 Listed		✓	✓	✓		
Fuel in Depth Fire Use		✓	✓	✓	✓	
Small Spill Fire Use		✓	✓	✓	✓	✓
Large Spill Fire Use		✓	✓	✓	✓	
Vapor Mitigation Use		✓	✓	✓	✓	✓
Class A Fuels	✓			✓	✓	✓
Polar Solvent / Water Miscible Fuels Use			✓		✓	

Product Certifications: SOLBERG foam concentrates have been rigorously tested to meet some of the industry's most stringent product certifications. These include UL, ULC, FM, EN, ICAO and IMO, to name a few. Product certifications vary dependent upon concentration type.

No additional EQUIPMENT NEEDED

Foam non-air aspirating discharge devices as well as air-aspirating discharge devices can be used to obtain maximum results. SOLBERG foam concentrates can be proportioned at the proper foam solution percentage using common foam hardware devices such as:

- Line eductors
- Self-educting nozzles
- Low and medium expansion devices
- Handline nozzles
- Branch pipe nozzles
- CAFS

Compatibility

SOLBERG foam concentrates should not be mixed with other foam concentrates, unless otherwise tested for compatibility. For questions about compatibility or mixing foam concentrates, consult SOLBERG Technical Services.

How foam works

SOLBERG foam is made up of three component parts: foam concentrate, water, and energy. Energy can take the form of air or mechanical agitation. When energy is added to a foam solution (foam concentrate mixed with water), finished foam is produced through a discharge device. The finished foam is very fluid and readily flows over liquid or solid surfaces to extinguish fire by:

- Excluding oxygen (separates fuel from vapor)
- Cooling fuel surface (water content of foam)
- Separating flame from fuel source



Click the image above to view a video of this process.

HAVE QUESTIONS?

For more information about which foam product works best for specific applications — or other questions — contact your local authorized SOLBERG Distributor or Factory Representative.

SOLBERG is a member of PERIMETER SOLUTIONS, a global producer of leading fire retardant, gel and foam brands with a singular purpose: revolutionize the course of fire suppression technology with safer, more effective and more sustainable solutions. Together, we are Moving Industries Forward by Redefining Fire Suppression. www.solbergfoam.com



NOTICE: Perimeter Solutions makes no representations or warranties as to the completeness or accuracy of the information included herein. The information contained herein is not intended to provide regulatory, legal or expert advice relating to the products, its application or uses. Nothing contained herein is to be construed as a recommendation to use any product, process, equipment or formulation in conflict with any industrial property or intellectual property rights, and Perimeter Solutions makes no representation or warranty, express or implied, that the use thereof will not infringe on any industrial property or intellectual property rights. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO THE INFORMATION CONTAINED HEREIN.

SOLBERGFOAM.COM

PERIMETER SOLUTIONS
THE SOLBERG COMPANY
1520 Brookfield Avenue
Green Bay, WI 54313
USA
Tel: +1 920 593 9445

PERIMETER SOLUTIONS
AUXQUIMIA S.A.U.
Polígono de Baiña, Parcela 23
33682 Mieres (Asturias)
Spain
Tel: +34 985 24 29 45

PERIMETER SOLUTIONS
SOLBERG ASIA PACIFIC PTY LTD
3 Charles Street
St. Marys NSW 2760
Australia
Tel: +61 2 9673 5300

FORM NUMBER F-2015010-1

COPYRIGHT © 2015. SOLBERG, RE-HEALING, ARCTIC, FIRE-BRAKE AND ATC ARE TRADEMARKS OF PERIMETER SOLUTIONS OR ITS AFFILIATES.